




BASIN MIXER

SL220AVG

Deck type basin mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




HIGH RISE BASIN MIXER

SL220AVLG

High rise basin mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, 2 x copper tube extensions, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




SINK MIXER

SL301AVG

Single lever sink mixer deck-type

Deck type sink mixer:
One hole, single lever, high swivel spout, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




BIDET MIXER

SL240AVG

Single lever bidet mixer

Bidet mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




CONCEALED BATH / SHOWER MIXER



SL100AVG

Bath/Shower concealed mixer:
Sliding CP cover plate, 35mm citec cartridge, 2 x G1/2" FI inlets & 1 x G1/2" FI outlet, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




CONCEALED BATH / SHOWER DIVERTER MIXER



SL105AVG

Bath/Shower concealed diverter mixer:
Sliding CP cover plate, diverter push button, 35mm citec cartridge, 2 x G1/2" FI inlets & 2 x G1/2" FI outlets, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




COMPLETE BATH MIXER



SL120AVWG

Exposed wall type bath mixer:
Two hole, single lever, with Diverter, G1/2" s-connectors adjustable from 128mm - 172mm centres. Supplied with hand shower, hose, wall bracket, 35mm citec cartridge, easy-clean aerator, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)




WALL TYPE SINK MIXER



SL210AVG

Wall type sink mixer:
Two hole, single lever, swivel spout 214mm, G1/2" s-connectors adjustable from 128mm - 172mm centres, 35mm citec cartridge & easy-clean aerator, DZR brass, EPDM o-rings. Anti-corrosive graphite finish.

SABS 1480 (BS EN 1286)







FREESTANDING BATH MIXER

SL500AVG

Freestanding bath mixer:
35mm citec cartridge, 2 x G1/2" FI inlets &
1 x G1/2" FI outlet, DZR brass,
Graphite finish, EPDM o-rings.

SABS 1480 (BS EN 1286)




WALL MOUNTED BASIN MIXER

SL220AVWG

Wall mounted basin mixer:
35mm citec cartridge, DZR brass,
Graphite finish.

SABS 1480 (BS EN 1286)






NIKKIE SPOUT

GNIKKIE
Round nikkie spout
Combination bath filler and overflow,
with G1/2" FI left or right inlet.


SABS 1480 (BS EN 1286)



POP UP SLOTTED BASIN WASTE

G4620POPS
Slotted pop up basin waste
32mm outlet with pop up Mechanism, including 2
x silicone washers, a brass backnut and an
overflow.


SABS 1480 (BS EN 1286)



POP UP BATH WASTE

G4560POP
Pop up bath waste
40mm outlet with pop up Mechanism,
including 2 x silicone washers & brass
backnut.


SABS 1480 (BS EN 1286)



POP UP UNSLOTTED BASIN WASTE

G4620POP
Pop up basin waste
32mm outlet with pop up Mechanism, including
2 x silicone washers & brass backnut.

SABS 1480 (BS EN 1286)




1. Citec cartridge

CITEC CARTRIDGES INCLUDE HIGH QUALITY CERAMIC DISKS WHICH ALLOW FOR SMOOTH ADJUSTMENT WHEN CHANGING THE TEMPERATURE & FLOW RATE OF THE WATER.





5. Graphite finish

A SUPERIOR TECHNIQUE PROVIDES A BEAUTIFUL AESTHETIC & UNIQUE APPEARANCE. ANTI-CORROSIVE FINISH.




2. DZR brass

HIGH-GRADE DZR BRASS IS RESISTANT TO DEZINCIFICATION, A FORM OF CORROSION. THIS ENSURES THE MEISSEN PRODUCTS HAVE BETTER LONGEVITY.



6. 450mm braided hoses

PROVIDES MORE THAN ADEQUATE LENGTH FOR THE INSTALLER IN ORDER TO CONNECT TO THE WATER INLET SUPPLY.



3. Easy tubular fixations

PROVIDES THE INSTALLER WITH AN EASIER INSTALLATION; SIMPLY TIGHTEN THE FIXATION BY HAND. NO TOOLS REQUIRED.



5 YEAR GUARANTEE



4. Neoperl easy-clean aerator

ALLOWS FOR EASY CLEANING & REMOVAL OF DEBRIS CAUGHT IN THE AERATOR.



